



Optimal™

Clear and attractive
shelf segmentation

Technical sheet

We are **supporting our customers** on their journey to a more sustainable store



Recycled plastics

Recycling is key to reducing waste and moving from a linear to circular society. We have invested in equipment to enable us to recycle our own factory scrap, making sure that as little material as possible is wasted in the production process. In addition, we are sourcing postconsumer recycled material from external suppliers. Availability differs between different types of plastics. Most often recycled material is mixed with virgin material to ensure that our high-quality demands for the end product is met. Increased recycling is an efficient way to decrease the environmental footprint today.

By decreasing the usage of virgin fossil based plastics we, together with our customers, have the possibility to reduce the carbon footprint of the retail business. We are proud to offer HL Sustainable Choice, a growing range of sustainable merchandising solutions made of renewable or recycled materials.

All Optimal™ PET dividers are partially made from recycled PET. They are transparent and available in all sizes and for all front types, breakable and non-breakable.



Well-merchandised shelves, no matter the product

Optimal™ ensures neat and tidy shelves, works for many packaging formats and sizes and with all types of shelving - even in coolers.

Key benefits


- / Ensures perfect product presentation
- / Easy to install and adjust
- / Ambient- and cooler-friendly

Recommended categories

- / Health and Beauty
- / Beverages
- / Spices
- / Bagged salad
- / Dairy (sliced cheese)
- / Pre-packed deli and meat
- / Cold cuts (ham, bacon etc.)
- / Canned food
- / Block of chocolate
- / Toys



Range overview



Neat and tidy shelves

Optimal™ is easy to install and adjust. The system includes dividers, pushers, trays and other accessories, and works with all types of shelving.



1

Rail

Rails for non-wire, wire or angled shelves.



2

Divider

Dividers with different heights, lengths and fronts.



3

Pusher

For automatic front feeding.



4

Backsupport

Adjustable back support is especially designed and adapted for pre-packed and vacuum packed products.



5

Tray

Trays adapted for different package types like beverage and baby food.



Rails

With the smart back rail the dividers can be adjusted from the front, no need to click the divider at the back, just hook it onto the back rail and fix it to the front T-rail.



Front T-rails

Standard T-rails

with front riser

Back rails

Non-wire shelves

Std Mounting: Magnetic tape.
Std height OFRK: 30, 40, 60, 80 mm.



OPB



OFRK



OBR

Angled non-wire shelves

Std Mounting: Foam tape TTF19.
Std height OFRK 80 mm.
Std angle OFKR 30°.



OPHW



OFRK30A



OBRW+

Wire shelves

(Fits wire shelves with wire diameter 2.8 - 3.0 mm).
Std Mounting: Clips (are included).
Std height OFKR 60 and 80 mm.



OPH-OW3.0



OFRK-OW3.0




OBR+ OW3.0



Dividers

Dividers are available with different heights, lengths and fronts. Standard lengths for dividers are 385, 485 and 585 mm. Breakpoints at 25 mm intervals (total 200 mm) makes it possible to adapt different shelf depths. Material: Recycled PET.



Dividers

	Height 25mm	Height 60 mm	Roller Track™ Height 60 mm	Height 120mm	Height 200mm
Straight front	 OPT-AVD25B+	 OPT-AVD60B+		 OPT-AVD120B+	 OPT-AVD200+
T-front 30 mm		 OPT-AVD60BT3+		 OPT-AVD120BT3+	
T-front 60 mm		 OPT-AVD60BT+	 RT-OPT-AVD60T		
T-front 80 mm				 OPT-AVD120BT+	
T-front 120 mm				 OPT-AVD120BT12+	
T-front 180 mm					 OPT-AVD200T+



Pushers

Optimal™ pushers help to front face products on the shelf. They are compatible with front (T-rail) and back rail and breakable every 25 mm. The Optimal™ pusher spring feeding force can be adjusted to weight and packaging in order to achieve the perfect front-facing result. The push feed is warranted up to 10 000 re-stocks. Material: ABS.



OP25B+

Width: 25 mm.

Length: 185 - 385, 285 - 485 and 385 - 585 mm.



OP50B+

Width: 50 mm.

Length: 185 - 385, 285 - 485 and 385 - 535 mm.



SMP40B

Total width: 48 mm.

Minimum length: 285 mm.

Maximum length: 485 mm.



Slow motion pusher

Allows for space optimisation as it is suitable for double- and triple-stacking of light and fragile products as well as anti-theft solutions.

Back support

The Optimal™ adjustable back support is especially designed and adapted for pre-packed and vacuum packed products. The back support system consists of a toothed track and movable clear back plate. The manual feeding pin tool gives the possibility to front face products fast and easy. Material: PET.



Adjustable back support

Back support



OPRS

Width: 65 mm.
Height: 130 mm.

Small

Toothed track



OPSS

Width: 285 - 485 mm.
Height: 55 mm.

Large

Feeding tool



OPRL-PIN

Length: 385, 435, 485,
535 and 585 mm.


OPRL

Width: 95 mm.
Height: 150 mm.

OPSL

Width: 90 mm. Length: 384,
439, 483, 538 and 582 mm.

Free standing back support



GBRN

Width: 90 mm.
Length: 384, 439, 483, 538 and 582 mm.
Height: 135 mm.

Trays

Optimal™ trays keep bottles, cans and jars front-faced, reducing the time spent organising shelves. Suitable for both coolers and ambient temperatures, Optimal™ trays are made to fit a variety of shelving depths and can be used as gravity on angled shelves or with pushers on flat shelves. Material: Polycarbonate/PETG.



NEW beverage tray (width 60 mm) designed for 330 ml sleek cans.



OPT-TRAY BEVERAGE 60 GRAVITY & PUSHER OPTION AVAILABLE.

Width: 60 mm
Length: 360, 385, 435, 485, 500, 510, 560 and 585 mm and 385 - 485 mm, 485 - 585 mm. Adjustable with two break points.




OPT-TRAY BEVERAGE 68 GRAVITY & PUSHER OPTION AVAILABLE.

Width: 68 mm
Length: 360, 385, 400, 435 (gravity only), 485, 500, 560 and 585 mm




OPT-TRAY CRISPS

Width: 78 mm
Length: 385-485 mm with possibility to extend with a special tray length extension. Adjustable with two break points.




OPT-TRAY TOBACCO

Width: 30, 45, 57, 59, 74 mm
Length: 185, 210, 235, 260, 270, 280, 285, 310, 360, 385, 410 mm




OPT-TRAY BABY FOOD

Width: 62 mm
Length: 385, 400, 435, 485, 500 and 535 mm



OPT-TRAY ROUND

Width: 50, 52 mm
Length: 385 - 485 mm
Adjustable with two break points.



OPT-TRAY PUSHER SPICES

Width: 45, 53 mm
Length: 600 mm
Adjustable with three break points at: 330, 450, 525 mm




OPT-TRAY SPICES

Width: 44, 46 mm
Length: 385 - 485 mm
Adjustable with two break points.

Combined with Roller Track™ or Glide mats

Optimal™ T-rail can be combined with Roller Track™ tracks. Add single or double tracks with pusher or tilt the shelf for a gravity solution.



Gravity solution


Combine Optimal™ dividers with Roller Track™ tracks on a angled shelf.




OPB
Optimal™ t-rail



RT OPT-AVD60T
Optimal™ divider



GTDO
Roller Track™ or Glide Track



Pusher solution


Combine Optimal™ pushers and front riser with Roller Track™ tracks and dividers. Use Roller Track™ dividers in the track slots to segmentation.



OFRK
Optimal™ t-rail with fronriser



OPB
Optimal™ t-rail



GTDO
Roller Track™ or Glide Track



RT-AVD25
Roller Track™ divider



RT-OP50-X
Optimal™ pusher



© HL Display - TECH1019EN69 - Edition 1/2021

An invisible time saver to keep shelves in order



Scan to read more and watch product video!

HL DISPLAY AB
 Cylindervägen 18 Box 1118
 131 26 Nacka Strand, Sweden

Tel +46 8 683 73 00

www.hl-display.com
 info@hl-display.com

